	Application No.	Applicant(s)
Notice of Allowability	10/815,354	CHIU ET AL.
	Examiner	Art Unit
	EDWARD PARK	2624
	LUVVAKUTAKK	2027
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate comming IGHTS. This application is	n this application. If not included unication will be mailed in due course. THIS
1. This communication is responsive to <u>IDS received on 11/9/09</u> .		
2. The allowed claim(s) is/are <u>1, 3-6, 10-15, 19-20, 24-27 (to be re-numbered as 1-17)</u> .		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).		
a) ☐ All b) ☐ Some* c) ☐ None of the:		
 Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)		nformal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		summary (PTO-413), /Mail Date <i>10/29/09</i> .
3. ☑ Information Disclosure Statements (PTO/SB/08),		Amendment/Comment
Paper No./Mail Date <u>3/24/05, 11/9/09</u> 4. ☐ Examiner's Comment Regarding Requirement for Deposit	8 M Evaminar's	Statement of Reasons for Allowance
of Biological Material	9. ☐ Other	Otatement of Acasons for Allowande
/Edward Park/	5. <u>G</u> 5alot	- '
Examiner, Art Unit 2624		

Application/Control Number: 10/815,354 Page 2

Art Unit: 2624

EXAMINER'S STATEMENT OF REASONS FOR ALLOWANCE

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/9/09 has been entered.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Anthony G. Craig (Reg #: 50, 342) on 10/29/09.

The application has been amended as follows:

1. (Currently Amended): A computer implemented method implemented within a computer system including memory and CPU for generating a highly condensed visual summary of video regions, comprising:

utilizing the memory and CPU for determining a dominant group in each of a plurality of video segments;

utilizing the memory and CPU for determining a key frame in each of the video segments:

utilizing the memory and CPU for defining a germ <u>in each of a plurality of images, the</u>
germ containing a region of interest associated with each dominant group in each of the video segments, wherein the video segment less the germ defines a support in each of the video segments;

utilizing the memory and CPU for defining a support in each of the video segments, wherein the support is the video segment less the germ;

utilizing the memory and CPU for separating the germ from the video segments; utilizing the memory and CPU for laying out the germs on a canvas, wherein there is no more than one germ for every video segment, wherein the canvas is partitioned into disjoint areas corresponding to the shape of the germs, wherein the shape of the germs disjoint areas is defined by a Voronoi algorithm; and

utilizing the memory and CPU for filling in the space of the canvas inside each disjoint area not occupied by its corresponding germ between the disjoint areas corresponding to the shape of the germs, wherein filling in the space of the canvas between the germs includes laying out one or more portions of the supports by assigning a pixel value of a point in the space from

the same value as the corresponding pixel of the germ's support when this point is nearest the germ, and only when the germ's support does not encompass the point assigning pixel values of a support of a neighboring germ based on a distance from the point to the neighboring germ, wherein a point in the space is only assigned a background value if no support includes the germ's support does not include the point, wherein the canvas generated is to generate a highly condensed visual summary of the plurality of video segments.

- 2. (Cancelled)
- 3. (Currently Amended): The method of claim 1 wherein defining a germ includes: defining a two dimensional shape that encompasses the projection of <u>a</u> the dominant group onto the key frame.
 - 4. (Original): The method of claim 3 wherein the two dimensional shape is a rectangle.
- 5. (Original): The method of claim 3 wherein laying out the germs includes: determining a scale factor to be applied to every germ such that the germs are scaled to the maximum size that fits into the canvas.
- 6. (Original): The method of claim 3 wherein laying out the germs includes: placing the germs in rows, wherein each row has a height according to the longest germ in the particular row.
 - 7-9. (Cancelled)
- 10. (Currently Amended): A computer implemented method implemented within a computer system including memory and CPU for generating a highly condensed visual summary of video regions, comprising:

utilizing the memory and CPU for determining a germ in each of a plurality of images,

utilizing the memory and CPU for separating the germ from the video segments;

Art Unit: 2624

the germ containing a region of interest;

utilizing the memory and CPU for defining, wherein the video region less the germ defines a support in each of the video segments regions wherein the support is the video segment less the germ;

utilizing the memory and CPU for laying out the germs on a canvas, wherein the germs are laid out in irregular two dimensional shapes on the canvas; utilizing the memory and CPU for defining a space between the germs; and utilizing the memory and CPU for filling in the space of the canvas between the irregular two dimensional shape germs by laying out one or more parts of the support, wherein filling in the space of the canvas between the irregular two dimensional shape germs includes laying out one or more portions of the supports by assigning the same value as the corresponding pixel of the germ's support when this point is nearest the germ, and only when the germ's support does not encompass the point assigning a pixel value of a point in the space from pixel values of a support of a neighboring germ based on a distance from the point to the neighboring germ, wherein a point between the irregular two dimensional shape germs is assigned an average value of nearby pixels point values only if no support includes the point, to generate wherein the eanvas generated is a highly condensed visual summary of the plurality of video segments regions.

11. (Previously Presented): The method of claim 10 wherein determining a germ includes: detecting a face in each of the plurality of images.

- 12. (Previously Presented): The method of claim 10 wherein determining a germ includes: receiving user input, the user input associated with a part of an image.
- 13. (Previously Presented): The method of claim 10 wherein determining a germ includes: using an algorithm to determine the regions of interest of an image based on one or more methods selected from the group consisting of a face-detection algorithm, an object detection algorithms and user input.
- 14. (Previously Presented): The method of claim 10 wherein laying out the germs includes: determining a scale factor to be applied to every germ such that the germs are scaled to the maximum size that fits into the canvas.
- 15. (Previously Presented): The method of claim 10 wherein laying out the germs includes: placing the germs in rows, wherein each row has a height according to the longest germ in the particular row.
 - 16-18. (Cancelled)
- 19. (Previously Presented): The method of claim 1 wherein defining a germ includes: detecting a face in each of the plurality of images.
- 20. (Previously Presented): The method of claim 1 wherein defining a germ includes: using an algorithm to determine a region of interest of an image.
 - 21 23. (Cancelled)
- 24. (Previously Presented): A computer implemented method implemented within a computer system including memory and CPU for generating a highly condensed visual summary of video regions, comprising:

utilizing the memory and CPU for determining a dominant group in each of a plurality of

Application/Control Number: 10/815,354

Art Unit: 2624

video segments, wherein the dominant group includes a face;

utilizing the memory and CPU for determining a key frame in each of the video segments;

utilizing the memory and CPU for defining a germ associated with each dominant group in each of the video segments, wherein the germ is the x-y projection of the dominant group including the face onto the keyframe;

utilizing the memory and CPU for separating the germ from the video segments; utilizing the memory and CPU for laying out the germs on a canvas, wherein the canvas is partitioned into disjoint areas corresponding to the germs, wherein the shape of the disjoint areas is defined using one or more algorithm selected from the group consisting of the distances between the germs, the distance between the face and the germ and the distance between two or more faces and the germ; and

utilizing the memory and CPU for filling in the space of the canvas between the disjoint areas corresponding to the germs, wherein filling in the space of the canvas between the germs includes laying out one or more portions of the supports by assigning a pixel value of a point in the space from the same value as the corresponding pixel of the germ's support when this point is nearest the germ, and only when the germ's support does not encompass the point assigning pixel values of a support of a neighboring germ based on a distance from the point to the neighboring germ, wherein a point between the irregular two dimensional shape germs is assigned an average value of nearby point values only if no support includes the point, wherein the canvas generated is a highly condensed visual summary of the plurality of video segments.

the size of the germ;

25. (Previously Presented): A computer implemented method implemented within a computer system including memory and CPU for generating a highly condensed visual summary of video regions, comprising:

utilizing the memory and CPU for determining a germ in each of a plurality of images, the germ containing a region of interest;

utilizing the memory and CPU for defining a support in each of the video segments, wherein the support is the video segment less the germ;

utilizing the memory and CPU for separating the germ from the video segments; utilizing the memory and CPU for laying out the germs on a canvas, wherein the canvas is partitioned into disjoint areas corresponding to the shape of the germs; utilizing the memory and CPU for computing boundary curves between the germs, wherein the boundary curves between the germs are defined using one or more algorithm selected from the group consisting of the distance between a point and the closest border of the germ, the distance between a point and the center of a germ and the distance between a point and

utilizing the memory and CPU for defining a space between the boundary curves; and utilizing the memory and CPU for filling in the space of the canvas, wherein filling in the space of the canvas includes laying out one or more portions of the supports by assigning a pixel value of a point in the space from the same value as the corresponding pixel of the germ's support when this point is nearest the germ, and only when the germ's support does not encompass the point assigning pixel values of a support of a neighboring germ based on a distance from the point to the neighboring germ, wherein a point between the boundary curves is

assigned an average value of nearby point values only if no support includes the point, to generate a highly condensed visual summary of the plurality of video segments.

- 26. (Previously Presented): The method of claim 3 wherein the two dimensional shape is irregular.
- 27. (Previously Presented): The computer implemented method of claim 25 wherein the germs are laid out in irregular two dimensional shapes on the canvas.

Allowable Subject Matter

- 3. Claims 1, 3-6, 10-15, 19-20, 24-27 (to be re-numbered as 1-17) are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

Examiner notes that the IDS filed on 11/9/09 has been considered and does not affect Examiner's stance on the patentability of the application.

Regarding claim 1, the most relevant prior art of record, Bae reference, teaches utilizing the memory and CPU for defining a germ in each of a plurality of images, the germ containing a region of interest; utilizing the memory and CPU for defining a support in each of the video segments, wherein the support is the video segment less the germ; utilizing the memory and CPU for separating the germ from the video segments (see Final Rejection on 8/24/09).

Application/Control Number: 10/815,354

Art Unit: 2624

Page 10

Applicant's claimed invention distinguishes over the Bae reference by utilizing the memory and CPU for laying out the germs on a canvas, wherein there is no more than one germ for every video segment, wherein the canvas is partitioned into disjoint areas corresponding to the shape of the germs, wherein the shape of the disjoint areas is defined by a Voronoi algorithm; and utilizing the memory and CPU for filling in the space of the canvas between the disjoint areas corresponding to the shape of the germs, wherein filling in the space of the canvas between the germs includes laying out one or more portions of the supports by assigning a pixel value of a point in the space from the same value as the corresponding pixel of the germ's support when this point is nearest the germ, and only when the germ's support does not encompass the point assigning pixel values of a support of a neighboring germ based on a distance from the point to the neighboring germ, wherein a point in the space is only assigned a background value if no support includes the point, to generate a highly condensed visual summary of the plurality of video segments.

Regarding claim 10, the most relevant prior art of record, Yu reference, teaches utilizing the memory and CPU for determining a germ in each of a plurality of images, the germ containing a region of interest; utilizing the memory and CPU for defining, a support in each of the video segments wherein the support is the video segment less the germ;

utilizing the memory and CPU for separating the germ from the video segments; utilizing the memory and CPU for laying out the germs on a canvas, wherein the germs are laid out in irregular two dimensional shapes on the canvas; utilizing the memory and CPU for defining a space between the germs (see Final Rejection on 8/24/09).

Applicant's claimed invention distinguishes over the Bae reference by utilizing the memory and CPU for filling in the space of the canvas between the irregular two dimensional shape germs, wherein filling in the space of the canvas between the irregular two dimensional shape germs includes laying out one or more portions of the supports by assigning the same value as the corresponding pixel of the germ's support when this point is nearest the germ, and only when the germ's support does not encompass the point assigning a pixel value of a point in the space from pixel values of a support of a neighboring germ based on a distance from the point to the neighboring germ, wherein a point between the irregular two dimensional shape germs is assigned an average value of nearby point values only if no support includes the point, to generate a highly condensed visual summary of the plurality of video segments.

Regarding claim 24, the most relevant prior art of record, Yu with Li combination, teaches utilizing the memory and CPU for determining a dominant group in each of a plurality of video segments, wherein the dominant group includes a face; utilizing the memory and CPU for determining a key frame in each of the video segments; utilizing the memory and CPU for defining a germ associated with each dominant group in each of the video segments, wherein the germ is the x-y projection of the dominant group including the face onto the keyframe; utilizing the memory and CPU for separating the germ from the video segments (see Final Rejection on 8/24/09).

Applicant's claimed invention distinguishes over the Yu with Li combination by utilizing the memory and CPU for laying out the germs on a canvas, wherein the canvas

is partitioned into disjoint areas corresponding to the germs, wherein the shape of the disjoint areas is defined using one or more algorithm selected from the group consisting of the distances between the germs, the distance between the face and the germ and the distance between two or more faces and the germ; and utilizing the memory and CPU for filling in the space of the canvas between the disjoint areas corresponding to the germs, wherein filling in the space of the canvas between the germs includes laying out one or more portions of the supports by assigning a pixel value of a point in the space from the same value as the corresponding pixel of the germ's support when this point is nearest the germ, and only when the germ's support does not encompass the point assigning pixel values of a support of a neighboring germ based on a distance from the point to the neighboring germ, wherein a point between the irregular two dimensional shape germs is assigned an average value of nearby point values only if no support includes the point, wherein the canvas generated is a highly condensed visual summary of the plurality of video segments.

Regarding claim 25, the most relevant prior art of record, Bae with Leow combination, teaches utilizing the memory and CPU for determining a germ in each of a plurality of images, the germ containing a region of interest; utilizing the memory and CPU for defining a support in each of the video segments, wherein the support is the video segment less the germ; utilizing the memory and CPU for separating the germ from the video segments; utilizing the memory and CPU for laying out the germs on a canvas, wherein the canvas is partitioned into disjoint areas corresponding to the shape of the germs (see Final Rejection on 8/24/09).

Applicant's claimed invention distinguishes over the Bae with Leow combination by utilizing the memory and CPU for computing boundary curves between the germs,

Application/Control Number: 10/815,354 Page 13

Art Unit: 2624

wherein the boundary curves between the germs are defined using one or more algorithm selected from the group consisting of the distance between a point and the closest border of the germ, the distance between a point and the center of a germ and the distance between a point and the size of the germ; utilizing the memory and CPU for defining a space between the boundary curves; and utilizing the memory and CPU for filling in the space of the canvas, wherein filling in the space of the canvas includes laying out one or more portions of the supports by assigning a pixel value of a point in the space from the same value as the corresponding pixel of the germ's support when this point is nearest the germ, and only when the germ's support does not encompass the point assigning pixel values of a support of a neighboring germ based on a distance from the point to the neighboring germ, wherein a point between the boundary curves is assigned an average value of nearby point values only if no support includes the point, to generate a highly condensed visual summary of the plurality of video segments.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to EDWARD PARK whose telephone number is (571)270-1576. The examiner can normally be reached on M-F 10:30 - 20:00, (EST).

Application/Control Number: 10/815,354 Page 14

Art Unit: 2624

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Samir Ahmed can be reached on (571) 272-7413. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Edward Park Examiner Art Unit 2624

/Edward Park/ Examiner, Art Unit 2624 /Brian Q Le/ Primary Examiner, Art Unit 2624